COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the <u>Creative Commons Attribution 4.0 Licence</u> (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) State of Queensland (Department of Housing and Public Works) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.


When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database http://qgd.org.au/

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

ARU Geotech	BOREHOLE RECORD BH								2	SHEET 1 OF 2		
PROJECT	LANG PARK STADIUM REDEVELOPMENT LOGGED DATE/S								KDN 18.10.0			
CONTRACTOR DRILL MODEL MOUNTING	SP & KF CHRISTENSEN JACRO 350 4x4 TRUCK				ANGLE Vertical BEARING - DIAMETER 50/75/100mm	GROUND LEVEL LOCATION						
DRILLING	STRATA				MATERIAL DESCRIPTION		COI	NDITI	ON	OBSERVATION		
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	SOUP S			SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER/ MOISTURE	COHE	SIVE	NON COHESIVE	SOIL ORIGIN, STRUCTURE, ETC.		
SPT @ 1.5m 4/5/10 N = 15	- 1.20	-1.80)		Silty/Clayey SAND: Dark brown, fine grained, some gravel, some glass pottery shards Sandy/Silty CLAY: Dark brown, medium plasticity, some gravel Clayey/Sandy GRAVEL: Pale grey mottled brown with white (quartz) gravel peices, medium plasticity clay, dry					FILL		
SPT @ 3.0m	0.80 _ - - -	2.20			Grading to XW Phyllite Hard drilling with roller bit no recovery from SPT sample					XW ROCK		
N = Refusal NOTES 1) No g	-	3.50										
NOTES 1) No groundwater encountered prior to washboring at 3.0m										12215		

HOLE SHEET 2 **CORED BOREHOLE RECORD** BH₂ **Geotechnics** OF 2 LOGGED BY KDN PROJECT LANG PARK STADIUM REDEVELOPMENT DATE/S 18.10.00 SP & KF CHRISTENSEN CONTRACTOR ANGLE **GROUND LEVEL** ~RL 3.0m Vertical DRILL MODEL JACRO 350 BEARING LOCATION See Figure 2 MOUNTING 4x4 TRUCK DIAMETER 50/75/100mm DRILLING STRATA MATERIAL DESCRIPTION DISCONTINUITIES SPECIFIC GENERAL DESCRIPTION Ê CASING RUN, REC. (ESTIMATED DEPTH **ROCK TYPE** R.L. SAMPLE (ber r ANGLE Colour, Grain Size, Structure, Minor Components ROCK STRENGTH Planarity, Roughness, Coating, Infill AHD m PHYLLITE: Mottled orange brown and blue grey Heavily fractured/crushed zone, 400mm thick 0 70 Smooth CI 0 30 Qr 60 20 Qr 60 Undulating -4.00 7.00 BH2 END NOTES JOB TYPE OF DISCONTINUITY JOINT 1) No groundwater encountered prior to washboring at 3.0m Be Fo CI BEDDING PLANE PARTING FOLIATION PARTING CLAY SEAM 12215 WEATHERED SEAM CRUSHED SEAM SHEARED ZONE We Cr QUARTZ SEAM



Borehole 2

3.5m - 7.0m

Box 1 of 1



Project: Lang Park Redevelopment

Title: Core Box Photographs

Job No: 12215

Plate No: 1