

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) *State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

TEST PIT RECORD

TP

TP1

SHEET 1

OF 1

PROJECT **MARBURG BYPASS - Warrego Highway Duplication**

LOGGED BY **AE**
DATE/S **10.5.99**

CONTRACTOR **Akuika**
EQUIPMENT TYPE **Excavator**
MODEL **8 tonne Kobeko**

EXCAVATION TYPE
LENGTH
WIDTH

GROUND LEVEL
LOCATION **See Figure 2**

EXCAVATION	STRATA				MATERIAL DESCRIPTION		CONDITION		OBSERVATION							
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONSISTENCY								SOIL ORIGIN, STRUCTURE, ETC.	
	AHD	m					COHESIVE				NON COHESIVE					
							VS	SL	ST	VST	HL	VL	ML	DL	VD	
CBR @ 2.5m = 3.5		0.60	CH		Silty CLAY: Orange brown to brown, high plasticity, stiff											RESIDUAL
		1	CL		Sandy CLAY: Light grey and orange brown, medium plasticity											
		1.50			MUDSTONE: Light grey with some orange brown, extremely to distinctly weathered, very low strength											XW/DW MUDSTONE
		2														
		2.50														
		3														
		4														

NOTES

1) No groundwater observed

JOB

11702/2

BOREHOLE/TEST PIT MARBURG2.GPJ ARUP AUS.GDT 27/10/99