

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Housing and Public Works) 2023, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

PROJECT PRINCESS ALEXANDRA HOSPITAL - GERIATRIC UNIT

LOCATION See Fig. 1
GROUND LEVEL 34.2 mAHD

CONTRACTOR FOUNDRIL PTY. LTD.

ANGLE 90

LOGGED BY PFW.

DRILL MODEL FD 500

BEARING -

DATE/S 28/4/88

MOUNTING TRUCK

DIAMETER 150

DRILLING	STRATA			MATERIAL DESCRIPTION	CONDITION		OBSERVATIONS		
	SAMPLE, TEST, BIT, SUPPORT ETC.	R.L.	DEPTH		SOIL TYPE	WATER / MOISTURE		CONSISTENCY	
		AHD	m					COHESIVE	NON COHESIVE
Auger Drill V Bit		0		BITUMEN SEAL: Silty SAND; brown, sand fine, gravel to 25mm			PAVEMENT		
		1.20	CL	Sandy CLAY: red brown & yellow brown, medium plast., sand fine to med.,			RESIDUAL SOIL		
		2.30		SILTSTONE: light grey & red brown, extremely weathered, contains thin bands of chert & ironstone extremely low to low strength.			WEATHERED ROCK		
N 100 SPT refusal on chert band		3							
		4.50		BH 7 Terminated at Required Depth					
		5							
		6							
		7							
		8							

NOTES
1. Drilled in carpark.

FIGURE

JOB

B7

4972