## **COPYRIGHT NOTICE**

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the <u>Creative Commons Attribution 4.0 Licence</u> (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) State of Queensland (Department of Housing and Public Works) 2023, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.

## **LIMITATION OF LIABILITY**

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database http://qgd.org.au/

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

ARU	JP			В	OREHOLE RECORD		r	31.14	0.4	SHEET 1	
Geotechnics							HOLE BH121			OF I	
PROJECT PRINCESS ALEXANDRA HOSPITAL REDEVELOPMENT DATE								GGED BY JFT TES 11/11/96			
CONTRACTOR DRILL MODEL MOUNTING					Pty Ltd ANGLE 90 degrees BEARING DIAMETER 90mm	GROUND LEVEL EASTING NORTHING			7	26.2m AHD	
DRILLING	STRATA				MATERIAL DESCRIPTION		CONDITION			OBSERVATION	
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	ввоиР ѕүмвоц	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONESIVE	C	NON DHESIVE	SOIL ORIGIN, STRUCTURE, ETC.	
	25.9	0.3		<b>XX</b>	FILL: gravel surface (carpark), brown sandy	-				FILL .	
					CLAY: orange brown and light grey, slightly gravelly.					SOIL	
SPT: 4/6/24 \N*=30	25.2-	1 1.0 		X X X X	MUDSTONE: light grey with occasional iron staining, extremely weathered.					XW COAL . MEASURES .	
1 (17,250	24.5	1.7		X X	Becomming gravelly from 1.7m.	7				_	
	23.7	2.5		× × × ×	· · · · · · · · · · · · · · · · · · ·	1				-	
SPT:17/8/13 N*=21		3			CLAY: light grey with iron staining and ironstone cobbles. T.C. refusal at 2.5m, possibly on a quartz`/ ironstone cobble.	-					
		-			possibly on a quartery monotone copple.	1					
	22.5 22.3	3.7 3.9		× × × ×	MUDSTONE: greenish grey with iron staining, grading into a light grey silty MUDSTONE with						
	21.2 -		,	× × × × × ×	occasional fine gravel grading into fine to medium claybound gravel, extremely weathered.						
SPT:11/26/30 blows for 90mm	21,2	5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			End of BH121 at 5.0m depth.						
		<del> </del>  -  -								-	
NOTES  1) No groundwater encountered during drilling. 2) Borehole auger drilled. 3) Ground level estimated from Donald Thallon (Surveys) P/L drawings.  FN30.14 October 1994									9545/1		