

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence*". This licence does not apply to the Queensland Government logo or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

MAIN ROADS DEPARTMENT
DRILLING REPORT

H1183
Form 232L
(P/4/66)

PROJECT JULIETTE ST. OVERPASS
DISTRICT No. 14 SHIRE BRISBANE CITY
ROAD SOUTH EAST FREEWAY
LOCATION 132006 E 89872 N
TYPE AND SIZE OF DRILLING 0.0-44.8 2" Hollow
Augers
DATE DRILLED 2-3rd September, 1970

PROJECT No. 2.35
HOLE No. 6
JOB No. 140/E002B/U04.2
RL DATUM BCC
COLLAR
GROUND SURFACE 42.2
ROCK SURFACE
BOTTOM OF HOLE -2.6
WATER TABLE ** N.T.

DEPTH 1" = 5'	% CORE REC.	DIAGRAM	STRATA	DESCRIPTION OF SOIL ROCK	SAMPLE	
					No.	TYPE
1.3			DECOMPOSED CLAY	brown and yellow ironstained grey stiff, hard, moist	A	Tube
2.7					B	Tube
4.0					C	Tube
4.5			SHALE	3 blows	D	Tube
6.0					E	S.P.T.
7.5						
8.8					F	Tube
9.5						
11.0					G	S.P.T.
12.5						
13.0					H	Tube
14.5						
16.0					J	S.P.T.
17.5			HIGHLY WEATHERED CLAY SHALE	23 blows	K	Tube
18.0						
19.5						
21.0					L	S.P.T.
22.5						
23.1					M	Tube
24.5						
25.8					N	S.P.T.
27.5						
27.8					P	Tube
29.5				14 blows		
31.0					Q	S.P.T.
32.5						
32.9					R	Tube
34.5						
				70 blows	S	S.P.T.

DRILLER PLANT
REMARKS 60* blows for 0.8' penetration.
** N.T - Not Taken

DATE GEOLOGIST APPROVED DATE

DRILLING REPORT

PROJECT ... JULIETTE STREET OVERPASS ...
DISTRICT No. ... SHIRE ...
ROAD ...
LOCATION ...
TYPE AND SIZE OF DRILLING ...
DATE DRILLED ...


PROJECT No. ... 2.35 ...
HOLE No. 6. (cont.) ...
JOB No. ...
RL DATUM
COLLAR ...
GROUND SURFACE ...
ROCK SURFACE ...
BOTTOM OF HOLE ...
WATER TABLE ...

DEPTH 1"=	% CORE REC.	DIAGRAM	STRATA	DESCRIPTION OF SOIL ROCK	SAMPLE	
					No.	TYPE
36.0			HIGHLY WEATHERED CLAY SHALES	grey 70 blows	S	S.P.T.
37.5				mottled yellow brown		
37.8				ironstained hard	T	Tube
38.5				fissile fine grained		
40.3				sedimentary rock 40*blows	U	S.P.T.
44.5				40**blows	W	S.P.T.
44.8				END OF HOLE		

DRILLER TM LW GS PLANT MRD GEMCO 9467

REMARKS * * 40 blows for 0.3' penetration

DATE 9th Sept. 1970 A.L. DAVIES
GEOLOGIST

APPROVED  DATE 22/9/70