

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) State of Queensland (Department of Housing and Public Works) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.



LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://qgd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

		<h1>TEST PIT RECORD</h1>				TP <h2>TP12</h2>		SHEET 1 OF 1							
PROJECT Lang Park Stadium Redevelopment						LOGGED BY DATE/S 26.10.00									
CONTRACTOR BL&T PLANT HIRE		EXCAVATION TYPE		GROUND LEVEL approx. RL 11.5m		LOCATION									
EQUIPMENT TYPE Backhoe		LENGTH 3m													
MODEL CAT 428B 4x4		WIDTH 0.7m													
EXCAVATION		STRATA		MATERIAL DESCRIPTION				CONDITION		OBSERVATION					
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONSISTENCY								SOIL ORIGIN, STRUCTURE, ETC.
	AHD	m					COHESIVE				NON COHESIVE				
							VS	SL	ST	VST	HL	VL	LD	VD	
		1			Clayey GRAVEL: orange brown, bottles, etc									FILL	
					Silty CLAY, orange brown										
		1.90			XW PHYLLITE: light brown										
		2			END TP12 on refusal @ 1.9m										
		3													
NOTES 1) No groundwater encountered during excavation.2) Borehole logged by EarthTech 3) Back of PCYC											JOB 12215				

BOREHOLE/TEST PIT LANGSEC.GPJ ARUP_AUS.GDT 10/01/01