

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) State of Queensland (Department of Housing and Public Works) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

TEST PIT RECORD

TP

TP2

SHEET 1

OF 1

PROJECT Lang Park Stadium Redevelopment

LOGGED BY VL

DATE/S 25.10.00

CONTRACTOR BL&T PLANT HIRE

EXCAVATION TYPE

EQUIPMENT TYPE Backhoe



LENGTH 2.9m

MODEL CAT 428B 4x4

WIDTH 0.7m

GROUND LEVEL approx. RL 8.5m

LOCATION

EXCAVATION	STRATA				MATERIAL DESCRIPTION	CONDITION												OBSERVATION	
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONSISTENCY										SOIL ORIGIN, STRUCTURE, ETC.		
	AHD	m					COHESIVE					NON COHESIVE							
							VS	SL	ST	VST	H	VL	LL	MD	DD	VD			
		0.15			TOPSOIL: dark brown, silty clay													TOPSOIL	
					Silty GRAVEL/gravelly SILT: light brown, fine to medium angular gravel, with brick fragments													FILL	
					an old cable														
		0.70			Clayey SILT: light brown, with some coal fragments.														
		1																	
		1.60																	
		2																RESIDUAL	
		2.30																	
		2.70																	XW ROCK
		3																	

NOTES

1) No groundwater encountered during excavation. 2) Edge of earthmound behind southern stand. Slope of approximately 30 degree. Excavation depth measurements taken from midpoint of pit.

JOB

12215

BOREHOLE/TEST PIT LANGSEC.GPJ ARUP_AUS.GDT 10/01/01