

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence*". This licence does not apply to the Queensland Government logo or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://qgd.org.au/>

MAIN ROADS DEPARTMENT

H 50

Form 23ZL
(P/4/66)

DRILLING REPORT

PROJECT ... STORY BRIDGE EXPRESSWAY PROJECT No. ... 1-19

DISTRICT No. ... 1 SHIRE BRISBANE CITY HOLE No. ... 22

ROAD ... Main St JOB No. ... 298/12/2

LOCATION ... 92'6" south of Prospect St. kerb RL DATUM ... B.C.C.


on eastern side of Main St. 9' behind kerb COLLAR ... 7'

TYPE AND SIZE OF DRILLING 0-30.0' Tricone GROUND SURFACE ... 56.8'

drilling; 30.0'-40.0' NXM Diamond Drilling ROCK SURFACE ... 26.8'

DATE DRILLED ... 14-15th December, 1966 BOTTOM OF HOLE ... 16.8'

WATER TABLE ... 7'

DEPTH 1" = 5'	% CORE REC.	DIAGRAM	STRATA	DESCRIPTION OF SOIL ROCK	SAMPLE	
					No.	TYPE
12.0			FILL	0-3.5' clayey gravel and ashes 3.5-12' clayey sand, decomposed tuff?		
30.0			? MODERATELY WEATHERED TUFF	sand, ground moderately weathered tuff		
35.0	100		MODERATELY WEATHERED TUFF	light grey to pink rhyolitic tuff irregular jointing, low to high angle; iron- stained, particularly on joints.		

DRILLER ... B.G. C.W. T.McK PLANT ... MRD GEMCO 9310

REMARKS

DATE GEOLOGIST APPROVED DATE

A 50 Form 23ZL
(P/4/88)

PROJECT	STORY BRIDGE EXPRESSWAY	PROJECT No.	1-19
DISTRICT No.	SHIRE	HOLE No.	22 (Cont'd)
ROAD		JOB No.	
LOCATION		RL DATUM	
		COLLAR	
TYPE AND SIZE OF DRILLING		GROUND SURFACE	
		ROCK SURFACE	
		BOTTOM OF HOLE	
DATE DRILLED		WATER TABLE	

DRILLER B.G. C.W. T.McK. PLANT MRD GEMCO 9310

DATE 3/1/67 P. J. Clutterbuck GEOLOGIST

APPROVED. *W. H. Thompson*. DATE. 12/2/6.