

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

CLIENT	TMR	LOGGED BY	CAW/RAS
PROJECT	Gateway North Traffic Management System	CHECKED BY	RAS
CONTRACTOR	Drillsure	DRILLED DATE	05-Dec-11
DRILL MODEL	Hydropower Scout	ANGLE	Vertical
DRILLER	Matt & Nick	BEARING	-
		HOLE DIAMETER	76mm ()
		GROUND LEVEL	RL 2.10m
		LOCATION	508598 E 6974065 N
		ELEVATION DATUM	Australian Height Datum
		COORDINATE SYSTEM	Map Grid of Australia MGA 94

DRILLING	STRATA		GROUP SYMBOL	LEGEND	MATERIAL DESCRIPTION	WATER/MOISTURE	CONSISTENCY								OBSERVATION
	R.L.	DEPTH					COHESIVE				NON COHESIVE				
SAMPLE, TEST, BIT, SUPPORT, ETC.	mAHD	m			SOIL TYPE Plasticity / Grain Size, Colour, Minor Components	VS	SL	ST	VST	H	VL	LD	DD	VD	SOIL ORIGIN, STRUCTURE, ETC.
SPTLS N=24 29;13,11	-8.40	10.50	CI		CLAY with Sand (CI) low to medium plasticity, pale brown mottled orange, sand is medium to coarse grained, moist. (continued) 10.30m Hard layer, possible quartz band										ALV
		11	CI		Gravelly Sandy CLAY (CI) medium to high plasticity, orange brown, gravel is coarse, Dmax 25mm, angular, lithic and quartz fragments, sand is medium to coarse grained, moist.	M									ALV
SPTLS N=15 6;7,8	-9.90	12.00	CI		Sandy CLAY (CI) medium to high plasticity, grey brown mottled orange, sand is coarse grained, moist.	M									ALV
		13													
SPTLS N=13 5;6,7	-11.40	13.50	SP		Clayey SAND (SP) coarse grained, sand is orange brown, clay is grey, moist to wet.	M-W									ALV
		14													
SPTLS N=17 7;6,11	-12.90	15.00	SC		Clayey Gravelly SAND (SC) coarse grained, orange brown, clay is grey, gravel is fine grained, angular, moist to wet.	M-W									ALV
	-13.35	15.45			Borehole completed at 15.45m depth										
		16													
		17													
		18													
		19													

NOTES	NOTE: BH logged from SPT samples by RAS 16/01/12 therefore moisture and consistency cannot be reliably be given. Drilling starts 10:45, Auger and case to 1.5m, washbore to 15m, 15m reached at 01:30	JOB	222267
-------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	---------------

gINT_v8_30.002 Licensed to Arup Pty Ltd
 Project: j:\2220\00\22267-00_gateway_north_traffic_management_initiative\design\geotechnics\gint\gateway_north_15-12-11.gpi
 Library: gint\220_geotech\7.0_software\gim2_library_and_template_bris_p01_2011\bris_library_p02.gb
 Log: 1.0.1 AUSTRALIA GENERAL BOREHOLE LOG (rev 15Jun11 checked ABACPF Feb 2006)
 gINT output page 2 of 2. Made by RAS 2Feb12 11:01