

## **COPYRIGHT NOTICE**

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.

## **LIMITATION OF LIABILITY**

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://qgd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

# TEST PIT RECORD

TP

**TP3**

SHEET 1  
OF 1

PROJECT MARBURG BYPASS - Warrego Highway Duplication

LOGGED BY AE  
DATE/S 10.5.99

CONTRACTOR Akuika  
EQUIPMENT TYPE Excavator  
MODEL 8 tonne Kobeko

EXCAVATION TYPE  
LENGTH  
WIDTH

GROUND LEVEL  
LOCATION See Figure 2

EXCAVATION	STRATA				MATERIAL DESCRIPTION	CONDITION													OBSERVATION
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONSISTENCY												SOIL ORIGIN, STRUCTURE, ETC.
	AHD	m					COHESIVE						NON COHESIVE						
							VS	S	F	ST	VST	H	VL	L	MD	D	VD		
CBR @ 3.5m = 4.5		1.00	CH		Sandy CLAY: Orange brown with some clay, high plasticity													RESIDUAL	
		1.50			Silty/Sandy CLAY: Orange brown and light grey, some ironstone nodules														
	2				MUDSTONE: Light brown and orange brown/grey, white infilled joints, distonctly weathered, very low strength														DW MUDSTONE
	3				grading to low strength														
		3.50																	
		4																	

## NOTES

1) No groundwater observed

JOB

11702/2