

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) *State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

BOREHOLE RECORD

HOLE

BH106

SHEET 1

OF 1

PROJECT MARBURG BYPASS - Warrego Highway Duplication

LOGGED BY PBF
DATE/S 28.9.99

CONTRACTOR SP & KF Christensen Pty Ltd

ANGLE Vertical

DRILL MODEL Jacro 350

BEARING -

MOUNTING 4WD Truck

DIAMETER 50mm

GROUND LEVEL
LOCATION See Figure 2

DRILLING	STRATA				MATERIAL DESCRIPTION	CONDITION												OBSERVATION	
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONSISTENCY												SOIL ORIGIN, STRUCTURE, ETC.
	AHD	m					COHESIVE						NON COHESIVE						
							VS	SL	FL	ST	VST	H	VL	LL	MD	D	VD		
		1	CH		CLAY: Yellow brown, very stiff												RESIDUAL		
		1.40																	
SPT @ 1.5m 15/15/19 N=34		2			SANDSTONE: Orange brown, extremely to distinctly weathered												XW/DW SANDSTONE		
		3																	
SPT @ 3.0m 20/20/80mm N=Refusal		3.23																	
		4																	
		5																	
		6																	
		7																	
		8																	
		9																	

NOTES

JOB

11702/2