COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the <u>Creative Commons Attribution 4.0 Licence</u> (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) State of Queensland (Department of Housing and Public Works) 2023, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database http://qgd.org.au/

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

ARU	JP		В	DREHOLE RECORD		RI	1122	SHEET 1	
Geotechr PROJECT		S ALEXA		HOSPITAL REDEVELOPMENT	LO	GGED BY	JF`	OF 1	
CONTRACTOR DRILL MODEL MOUNTING	SP & KF Christensen Pty Ltd ANGLE 90 degrees					GROUND LEVEL 26.5m AHD EASTING NORTHING			
DRILLING	STRATA MATERIAL DESCRIPTION				CONDITIO)N	OBSERVATION	
SAMPLE, TEST, BIT, SUPPORT, ETC.		GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONSIS	NON COHESIVE	SOIL ORIGIN, STRUCTURE, ETC.	
SPT:26/37/48 N*=85	25.7	8.0		FILL: gravel / grass surface (carpark), overlying a brown sand with some ash and china fragments. SANDSTONE: light grey and red brown, fine to medium grained with some clayey bands, EW.				FILL XW COAL MEASURES	
SPT:50 blows for	24 23.5 3 23.3	2.5 3.0 3.2	X X X X X X X X X X X X X X X X X X X	Silty MUDSTONE: light grey and red brown. SANDSTONE: light grey, fine to medium with occasional iron staining. From 3.2m, orange					
	21.5 -5	5.0		brown, fine to coarse, sandy to clayey angular quartzitic Gravel.					
SPT:50 blows for 45mm	-6			Becoming light grey and black fine to coarse Gravel in a sandy matrix at 5.0m. End of BH122 at 5.0m depth.					
• · ·	7								
-	† † †			- - - -					
NOTES 1) No groundwater encountered during drilling. 2) Borehole auger drilled. 3) Ground level estimated from Donald Thallon (Surveys) P/L drawings.							_{ЈОВ} 9545/1		