COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the <u>Creative Commons Attribution 4.0 Licence</u> (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department as follows: "(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence". This licence does not apply to the Queensland Government logo or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database http://qgd.org.au/

Queensland Government

GEOTECHNICAL BOREHOLE LOG

FOR GEOTECHNICAL TERMS AND

FINAL 30/06/2015

BH05 BOREHOLE No

Sheet 1 of 1

H12194 REFERENCE No SYMBOLS REFER FORM F:GEOT 017/8-2014 Veloway 1 Stage E: Birdwood to Gaza Road PROJECT Bridge over Marshall Rd and Bapaume Rd. COORDINATES 505475.7 E; 6955355.1 N LOCATION FG6253 PLUNGE 90° DATE STARTED 03/06/2015 GRID DATUM MGA94 Zone 56 SURFACE RL 22.65m PROJECT No 201/C001/4 HEIGHT DATUM AHD DATE COMPLETED 03/06/2015 DRILLER Geodrill JOB No BEARING ° USCS WEATHERING ADDITIONAL DATA INTACT DEFECT SPACING SAMPLES TESTS LITHOLOGY AND TEST RESULTS SAMPLE STRENGTH RΙ MATERIAL DESCRIPTION CORE REC % ᅾᆍᆂᆂᄝᅼᅿᅖᆝᇛᇰᆟᇎᇂᆘᇰᇕ Sandy Silty CLAY (Topsoil) (CL) 22.45 Mottled yellow brown, moist, soft. Low plasticity Trace fine gravel. Silty CLAY (Fill?) Brown grey, moist, very stiff to 6, 9, 15 N=24 hard. SPT Low plasticity. Trace fine sand. Trace fine gravel in parts. (CL) 12, 25, 29 N=54 В SPT 19.65 5, 5, 6 Silty SAND (Alluvium) С SPT Brown, moist, medium dense. Trace fine quartz gravel. 2, 2, 2 Becoming loose. D SPT (SM) 2, 5, 17 Becoming grey, medium dense. Trace clay. Trace fine to N=22 SPT Ε medium quartz gravel. 17.05 METAGREYWACKE (Dcf) XW: Recovered as brown grey, XW 30/100 moist, very dense, Clayey SAND. 16.45 (14) METAGREYWACKE (Dcf) D (6.32m) SW: Brown grey, fine to medium Is(50)=1.10 MPa Is(50)=1.90 MPa grained, weakly foliated, A (6.68m) generally high to very high 100 (36) strength. Defects: -J's: 0°-20° (2-3/m) Pl/Sm-Ro, Tl, Is(50)=4.30 MPa Is(50)=1.50 MPa Cly Vr, FeSt A (7.55m) SW -J's: 30°-50° (3-4/m) PI/Sm-Ro, TI, Cly Vr, FeSt -J's: 70°-80° (<1/m) PI/Ro-Sm, TI Cly Vr, FeSt 100 = 8.39m-8.40m: XW Cly Seam (42) Frequent Qz Veinlets. 13.45 100 Borehole completed at 9.20m REMARKS: Dcf - Neranleigh Fernvale Beds. Soil samples taken from 0.0-0.5m for environmental **LOGGED BY REVIEWED BY** testing. JL/DC TMR GEOTECHNICAL BOREHOLE LOG - CREATED WITH HOLEBASE SI

CORE PHOTO LOG

DEPARTMENT OF TRANSPORT & MAIN ROADS Geotechnical Branch 35 Butterfield Street, HERSTON Qld 4006 Phone 07 3066 3336



Project Name	Veloway (V1), Section E: Birdwood to Ga	za Road	
Project No	FG6253	Date	3/6/15
Borehole No	BH 05	TMR H No	12194
_ocation	Bridge over Marshall Rd and Bapaume Rd	Start Depth (m)	5.2
Detail		Finish Depth (m)	9.2
Chainage		Submitted By	J. Lopez
Remarks			
a de la companya de l			
7 0 T			
	O OO OO OO		0X1
FG62	The second of th	0	
-			

SCALE 1:5