COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by Queensland University of Technology under the <u>Creative Commons Attribution 4.0 Licence</u> (CC BY 4.0). When reusing the Document, in whole or in part, please attribute as follows: "(c) Queensland University of Technology 2020, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Queensland University of Technology use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database http://qgd.org.au/

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

ARUP				ВНЗ	SHEET 1
Geotechnics	BOREHOLE	RECO	RD	HOLE	of 3
PROJECT	QUEENSLAND UNIVERSITY OF TECHNOLOGY,	Z BLOCK			FIGURE 2
CONTRACTOR	GEOPROBE	ANGLE	VERTICAL	LOGGED BY WA	М
DRILL MODEL	RASON 300	BEARING		DATE/S 27-	5-93
MOUNTING	TRUCK	DIAMETER	100mm		

DRILLING		STRATA			MATERIAL DESCRIPTION	Ī	CONDITION	OBSERVATIONS
DIVICTING				1		 	CONCIETENCY	
SAMPLE, TEST, BIT, SUPPORT ETC	R.L AHD	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER/ MOISTURE	Rom Para Sara Sara Sara Sara Sara Sara Sara	SOIL ORIGIN STRUCTURE, ETC
	3.4	m	CL		Sandy gravelly CLAY: brown, low to medium plasticity,	м	3000343233	P
<u>-</u>	- -	 	-		sand fine to coarse, gravel fine to medium	‡"		FILL -
-	-					+		-
_	_	1.0	•		·	Ι.		_
-	_	-			٠ -	+		_
-	_				· -	Ţ		· -
-	1.4	_ 2.0				+		_
-		- 2.0	ᄄ		Sandy CLAY: grey-brown, medium to high plasticity, sand fine to medium	F		ALLUVIUM -
_	_	_			Sum the to incomi	<u> </u>		_
_	0.6 -	- 2.8	71 1			+		` <u>-</u> -
_		3.0	CH		_ Sandy CLAY: grey, high plasticity, sand fine			
-	-			-				-
-	-	 -				‡ .		- -
		— 4.0			-	-		
- -	-	-		#		‡		- -
_	_	-		-	· · · -	+		-
	_	5.0			_	‡		_
-	_	_		-	·	+		-
-	_	_				‡		-
-	_	- 6.0		-		+		_
-	_	- 0.0			-	F		- · -
-	=	_ :		-		<u> </u>		- 1
_	_	_ ;			· · · · · ·	-		-
 		— 7.0 -			_			_
-	_	_			·	ļ ·		<u>-</u>
	_	_				‡		_ -
NOTES	:	8.0				EIC	URE	JOB
	+ Graved	level acci	upa ka	to + "		100	O I NIL	100
,	- GI VOIIU	ietei ULCI		.v - U	·			7534/1
								/ ン の台/ I
		•						

ARUP				внз	SHE	et 2
Geotechnics	BOREHOLE	RECO	RD.	HOLE	OF	3
PROJECT	QUEENSLAND UNIVERSITY OF TECHNOLOGY,	Z BLOCK		LOCATION GROUND LEVEL	SEE FIGURE	_
CONTRACTOR	GEOPROBE	ANGLE	VERTICAL	LOGGED BY	WAM	
DRILL MODEL	RASON 300	BEARING		DATE/S	27-5-93	
MOUNTING	TRUCK	DIAMETER	100mm			

DRILLING STRATA MATERIAL DESCRIPTION CONDITION OBSERVATIONS SAMPLE, TEST. BIT, SUPPORT FIG. AND TO TEST. CONSTITUTE Colour, Pleasfolly, Goln Size, Miror Components Some fine gravels TID. 10.0 11.0 11.0 15.0 16.0 NOTES PIGURE JOB NOTES CONDITION CONDITION CONDITION CONSTITUTE SOL DRIEN STRATA ALLUVIAN ALLUVIAN ALLUVIAN FIGURE JOB NOTES
7534/1

[ARU]	P			BH3		SHEET	. 3	
Geotechnic	. BORE	HOLE RECO	RD .	HOLE		OF	3	
PROJECT	QUEENSLAND UNIVERSITY OF T	ECHNOLOGY, Z BLOCK		LOCATION GROUND LEVEL		FIGURE m AHD	2	
CONTRACTOR	GEOPROBE	ANGLE	VERTICAL	LOGGED BY	WAN	1		
DRILL MODEL	RASON 300	BEARING		DATE/S	27-5	5-93		
MOUNTING	TRUCK	DIAMETER	100mm					

MODIVING		INDEK			DIAMETER 100idili	.1		
DRILLING		STRATA			MATERIAL DESCRIPTION		CONDITION	OBSERVATIONS
SAMPLE, TEST, BIT, SUPPORT ETC	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER/ Moisture	CONSISTENCY COHESIVE COHESIVE COHE	SOIL ORIGIN STRUCTURE, ETC
	-12.6	m	GP	<u>&</u> -80		<u> </u>	>0:0>4>3	
- - -	- - -	17.0	GP GP		Sandy GRAVEL: grey and brown, gravel fine, sand fine to coarse	F -		ALLUVIUM
- -	-14.4	- 17.8 - 18.0	CL CH		Sandy gravelly CLAY: grey, medium to high plasticity,	- - -		-
- - -	45 (- - -	511		sand fine, gravel fine	 - - -		-
	-15.6—	— 19.0 - - -	GP		Sandy GRAVEL: grey and brown, gravel fine to medium, sand fine to coarse	-		-
-	<u>-</u>	- 20,0 - - -			- - - - -			-
	-	21.0 - - -			- - - - -			-
	-18.5 -	- 21.9 - 22.0 - -			EW Phyllite: grey and orange brown			ROCK
	-20.1	23.0 - - 23.5						- - -
-	†	24.0		+	-	† ,		-
NOTES	,				•	FIG	URE	_{ЈОВ} 7534/1
						L		